

# Product Portfolio

High-End UV-LED flatbed printers



swissprint



# The new era in flatbed printing

Learn all about the completely redesigned swissQprint platform - the springboard you need to outpace the competition.

## Productivity

Maximum output guaranteed. Based on state-of-the-art components like linear drives, with efficiency-boosting features for a smooth workflow.

+23 %

Faster than generation 4

Dual roll option

Double the output

Tandem mode

Non-stop printing

## Versatility

Extend your colour palette with light colours, white, varnish, neon, orange and primer. Process any format and enhance prints with tactile and visual effects.

10 colour channels

Individually configurable

Roll to roll option

For rolls up to 3.2 m wide

Oversize board option

For boards up to 4 m long

## Quality

You will impress your customers with print results of the highest calibre, thanks to the all-new mechanical and electronic foundation - made in Switzerland.

1350 dpi

Resolution

36-month warranty

Supported reliability

25 years

Development experience





## Kudu

### The high-end flatbed printer

Kudu is a top-rank producer: huge output with superb print quality on board and roll media. This large format printer offers you the maximum in every respect.



3.2 × 2 m

Flatbed  
For any format

341 m<sup>2</sup>/h

Productivity  
Day and night

2 to 3

Print head rows  
Expandable in the field

10

Colour channels  
Endless possibilities



## Nyala 5

### The top seller among flatbed printers

Over 1000 customers around the globe count on their Nyala, day in and day out.  
The strengths of this large format printer impress from every angle.

Nyala  
N°1 in Europe  
since 2015



3.2 × 2<sub>m</sub>

Flatbed  
Process any format

253 m<sup>2</sup>/h

Productivity  
24/7

1 to 2

Print head rows  
Expandable at any time

10

Colour channels  
Individually configurable



## Impala 5

### The compact flatbed printer

Impala achieves great things within the smallest footprint. All with high efficiency, impressive versatility and typical swissQprint quality.



2.5 × 2<sub>m</sub>

Flatbed  
Small to large formats

227 m<sup>2</sup>/h

Productivity  
Multiple-shift operation

1 to 2

Print head rows  
Your choice

10


Colour channels  
Great versatility

## Universal large format printers For countless applications

swissQprint flatbed printers are successfully operating across a wide range of industries and applications. In what direction can we help your business to grow?

### Sign & display

Join the game of mixing materials and effects. Your swissQprint system will play along with whatever you cook up for your customers.



### Interior décor

Interior design is all about adding that personal touch. swissQprint large format printers excel at creating custom décor.

### Packaging & displays

swissQprint flatbed printers make an ideal choice for prototyping and short-run production of packaging and displays. A speciality: varnish embellishments.







## Fine art and photo printing

The pinnacle of digital printing – perfected by swissQprint: reproductions of paintings, challenging photographic and fine art prints of any format – on all sorts of substrates.

## Glass printing

Design elements made of vividly printed glass are an eyecatcher, and a speciality of swissQprint flatbed printers.



## Industrial printing

For membrane switches, touch displays and instrument housings, digital printing complements or fully replaces screen printing, with the utmost precision and reliability.

## Wood printing

Meet the increasing demand for bespoke interior design and packaging with swissQprint. UV printing directly on real or reproduction woods is a niche to be filled.





## Roll to roll option

Convert your flatbed printer into a full-fledged roll to roll printer. Just the job for films, banners, mesh and a whole lot more. Heat-sensitive materials included, thanks to cool LED curing. White ink extends your offering into coloured media and multilayer printing on transparent films.

The printer does its job reliably - even unattended. The control unit regulates the roll tension while the spreading roller smooths the material, helping to prevent crashes and rewind the material neatly. The spreading roller also dissipates static charge for perfect droplet placement and flawless prints.



Roll width  
3.2 m | 2.5 m



Roll weight  
180 kg



Roll diameter  
36 cm



## Dual roll option

Do you often process narrow rolls? Here too, swissQprint offers a simple solution. The dual roll option can print two rolls of material in parallel, doubling the productivity. The patented Tip Switch Vacuum controls the vacuum in small segments – it can even be shut off in the space between rolls. No masking is needed, and optimum vacuum is guaranteed.

Material edges sticking up? Use the edge holders made of stainless steel. Just a few simple steps attach them to the print bed, ready to keep those edges in place.



Roll width  
1550 mm | 1200 mm



Roll weight  
50 kg



Roll diameter  
36 cm



## Collector paper option

Full bleed printing on pre-cut boards has always been a speciality of swissQprint flatbed printers. Gain extra convenience and efficiency with the collector paper option! A permeable paper allows the vacuum to do its work, while holding back the ink. The collector paper option thus saves you from having to clean the print bed. Instead, you gain time for productive work.

For board registration, simply use the alignment edge instead of registration pins. The steplessly adjustable registration stops adapt to your formats.



### Good to know

The collector paper option's non-intrusive design means that your printer stays accessible and versatile.



## Oversize board option

Create for new dimensions: The oversize board option lets you print boards up to 4 metres long. Its clever controller regulates precise feeding over the conveyor belt. Result: a seamless print covering the entire length. For example on glass kitchen splashbacks, oversize construction site billboards, impressive wall art and other products outside of the standard formats.





## Inks For high-quality digital printing

swissQprint considers inks an integral part of the product. As a user, you should be able to rely on the interaction of the ink with the hardware – and on consistent ink quality. This is precisely the mission of the ink laboratory at our Swiss headquarters, where we have systematically accumulated and expanded our ink expertise over recent years.

**Research and development:** Every ink set has its unique physical properties. But that's not something you need to worry about. Our ink experts determine the optimum parameters for every set.

**Systematic quality control:** You expect a consistent, reproducible print result – and rightly so. To ensure ink performance, we test each production batch for a series of defined properties.

**Application-specific tests:** Certain applications place exceptional demands on printed products. The swissQprint ink laboratory specialists compare the suitability and ink behaviour with your requirements.



## Custom ink configuration

You have complete freedom to assemble your colour palette the way you need it today. And to adapt it when the situation changes. There are 10 colour channels available, each one individually configurable.



### CMYK

is the baseline, which you can supplement according to needs.



**Light magenta, light cyan and light black** reproduce lifelike skin tones and render the finest gradients and shading.



### Primer

enhances the adhesion to glass and metal.



### White

as a base layer or printed selectively, brings transparent and coloured media into the picture.



### Orange

significantly expands the colour gamut in orange and red tones.



### Effect varnish

applied partially or across the whole surface, produces visual and tactile experiences - even droptix 3D effects.



### Neon yellow and neon pink

give printed materials that high-impact fluorescent look.



## Basics Smart features save costs and add value



### Light curtain

State-of-the-art safety. Should something or someone breach the light curtain, the print head carriage slows down to warn as well as protect the operator. Meanwhile, printing continues. There is no loss of time or material.



### Crash sensors

The Crash Sensor Technology helps prevent damage and rejects, say if the material thickness was entered incorrectly or corners on the material are sticking up.



### Resume printing after a crash


Despite all precautions, there has been a material crash, and on the final few metres? It's not the end of the world. Via the output software, the operator can resume printing at the exact point where it stopped - and saves the day.





## Profitable LED technology

LED curing is cool. Using heat-sensitive media extends your portfolio and opens up lucrative markets. LED lamps are always ready to go, with no warm-up or cool-down time. LED pays off thanks to a long service life, high system availability and low maintenance costs.



## Powerful vacuum

The patented Tip Switch Vacuum makes vacuum control child's play! Control up to 256 segments at the touch of a finger - fast and effortlessly. The system can also blow, so heavy media floats across the table.



## Registration pins

swissQprint registration pins. They are set in no time and help to make full and efficient use of the print bed. Inserted onto a fine grid, they provide precise mechanical anchors on each side of the print bed. For any format and multiple copies as well as for registration accuracy with double-sided prints.



## Tandem

In tandem operation, you achieve maximum productivity. The machine and operator work together as a team. The principle is straightforward: The print bed has a front and a rear vacuum zone. Load it with media at the front and rear alternately while printing is in progress on the other side. This keeps the printer in non-stop operation for rapid series production.



## Technical specifications

Dimensions	Kudu	Nyala 5	Impala 5
Flatbed, full bleed <sup>1</sup>	3240 × 2030 mm		2540 × 2030 mm
Clearance	maximum 50 mm		
Substrate weight	maximum 30 kg/m <sup>2</sup>		
Dimensions (L × W × H)	2.89 × 6.13 × 1.39 m		2.89 × 5.43 × 1.39 m
Weight	2400 to 2600 kg		2200 to 2500 kg
<b>Roll to roll option</b>			
Roll width	3200 mm × endless		2500 mm × endless
Dual roll width	1550 mm × endless		1200 mm × endless
Roll weight <sup>2</sup>	maximum 180 kg/ dual roll 50 kg each		
Roll diameter	maximum 360 mm		
<b>Features</b>			
Warranty	36 months		
Curing	UV LED		
Tandem function	standard		
Print area, Tandem each zone <sup>1</sup>	3240×1015 mm		2540×1015 mm
Patented Tip Switch Vacuum	standard		
Linear drives	standard		
Addressable resolution	up to 1350 dpi		
Visual resolution	up to 2540 dpi		
<b>Colours</b>			
Colour channels	maximum 10		
Print heads	maximum 30	maximum 20	
Colour range	CMYK, light cyan, light magenta, light black, white, varnish, primer, orange, neon yellow, neon pink		
Container size	CMYKcmk, orange 5 litres /white, neon, varnish 5 or 1 litres / primer 1 litre		
UV-curable inks	✓		
Solvent-free (no VOCs)	✓		
Greenguard Gold certification <sup>3</sup>	✓		
Indoor and outdoor applications <sup>4</sup>	✓		
<b>Installation environment</b>			
Power supply	3 × 400V, 3L+N+PE (50/60 Hz) 3 × 480V, 3L+N+PE (60 Hz) 3 × 208V, 3L+PE (50/60 Hz) excellent energy efficiency according to ISO 20690:2018		
Temperature range	+20° C to +30° C		
Relative humidity	40 % to 80 % non-condensing		

<sup>1</sup> In most print modes

<sup>2</sup> Single rolls: carbon roll holder for heavy rolls >100 kg or narrow rolls >0.3 kg/cm. Maximum 0.6 kg/cm.

Specific customer application must be tested.

<sup>3</sup> Standard inks

<sup>4</sup> Neon: only for indoor applications

## Swiss made

### Your competitive advantage

With swissQprint you benefit from unbeatable precision and reliability. You can also expect first-class service. This is a promise shared by our subsidiaries and partners. Our common goal is to ensure your smooth production.

100%

---

#### Swiss development & production

Mechanics, electronics, output software – all in-house developments that we combine into a complete system for you.

90%

---

#### Components sourced in Switzerland

Selected suppliers who promise the same quality as we do. 80% of them are Swiss companies.

10

---

#### Years and more

That is the printer service life. Our machines impress with years of unchangingly high quality, giving them exceptional resale value.

36

---

#### Months warranty

You can rely on your swissQprint machine. We promise you that. You benefit from a 3-year warranty on your new large format printer.



Discover more

”

Marc Baumgartner, CTO

“Over 30% of the workforce at our Swiss headquarters is employed in research and development. Under the same roof as the production team. That’s how we stay agile.”





## swissQprint Greentech

### Sustainably developed and produced from the ground up

Since the company's founding in 2007, we have embraced sustainability out of conviction. Our large format printers are not only durable and energy-saving; they are also light on maintenance and resources. Our goal: maximum benefit for you and for our environment.

2.2 kWh

**Average power consumption**  
swissQprint LED systems are all proven to be highly energy efficient (ISO 20690:2018).

95%

**Recyclable components**  
We use as many machine components as possible with potential for returning them to the circular economy.

0

**Fossil energy**  
Since 2015, swissQprint has been headquartered in an energy-efficient building that operates without a fossil-fuelled heating and cooling system.

613 000 kWh

**Solar power**  
1276 photovoltaic panels on the swissQprint roof supply us with renewable energy.



Discover more

”

Reto Eicher, swissQprint co-owner

“Our quality standards and value system rest on our Swiss roots. We pay major attention to environmental compatibility, both in our products and in the way we run our business.”



**swissQprint**

[info@swissqprint.com](mailto:info@swissqprint.com)

[www.swissqprint.com](http://www.swissqprint.com)



Subject to technical change. Images are not colour binding.  
Photos and graphics are copyrighted. Tip Switch vacuum is patented.  
swissQprint is a registered trademark. ©swissQprint 01-2025